



BNC / F Single

Direct Box/Interface

Audio Cables

Connectors

Video Cables & Connectors

Bulk Cable

Cable Management

Custom Shop

BNC ~ BNC Crimp Radial RG59



Flexible 75 ohm video cable made with RG59 and short barrel crimp connector. Ideal for equipment interconnect in broadcast and A/V systems.

| Radial cable Order # | Length |
|----------------------|--------|
| R625 2003 | 3' |
| R625 2006 | 6' |
| R625 2010 | 10' |
| R625 2015 | 15' |
| R625 2020 | 20' |
| R625 2025 | 25' |
| R625 2030 | 30' |
| R625 2050 | 50' |
| R625 2075 | 75' |
| R625 2100 | 100' |

Colours: Blk-00

BNC ~ BNC Crimp Mogami



Ultra-flexible and compact Mogami 75 ohm video cable. Ideal for equipment racks where space and quality is at a premium. Compact crimp connector, choice of colours.

| Mogami cable Order # | Length |
|----------------------|--------|
| R600 2003-xx | 3' |
| R600 2006-xx | 6' |
| R600 2010-xx | 10' |
| R600 2015-xx | 15' |
| R600 2020-xx | 20' |
| R600 2025-xx | 25' |
| R600 2030-xx | 30' |
| R600 2050-xx | 50' |
| R600 2075-xx | 75' |
| R600 2100-xx | 100' |

'xx'=colour suffix.
Colours: blk(-00), Red(-02), Yel(-04), Grn(-05), Blu(-06)

BNC ~ BNC RG59 Solder Radial



Flexible 75 ohm video cable made with RG59 and long barrel solder connector. Ideal for field equipment interconnect where serviceability is required.

| Radial cable Order # | Length |
|----------------------|--------|
| R625 0003 | 3' |
| R625 0006 | 6' |
| R625 0010 | 10' |
| R625 0015 | 15' |
| R625 0020 | 20' |
| R625 0025 | 25' |
| R625 0030 | 30' |
| R625 0050 | 50' |
| R625 0075 | 75' |
| R625 0100 | 100' |

Colours: Blk-00

BNC ~ BNC Solder Mogami



Ultra-flexible and compact, Mogami 75 ohm video cable. For equipment racks where space and quality matter. Field serviceable solder connector, choice of colours.

| Mogami cable Order # | Length |
|----------------------|--------|
| R600 0003-xx | 3' |
| R600 0006-xx | 6' |
| R600 0010-xx | 10' |
| R600 0015-xx | 15' |
| R600 0020-xx | 20' |
| R600 0025-xx | 25' |
| R600 0030-xx | 30' |
| R600 0050-xx | 50' |
| R600 0075-xx | 75' |
| R600 0100-xx | 100' |

'xx'=colour suffix.
Colours: blk(-00), Red(-02), Yel(-04), Grn(-05), Blu(-06)

BNC ~ BNC RG6 Crimp Radial



Flexible 75 ohm RG6 video cable with short barrel connectors. Ideal for longer runs; handles higher bandwidth. Suitable for all video systems.

| Radial cable Order # | Length |
|----------------------|--------|
| R621 2003 | 3' |
| R621 2006 | 6' |
| R621 2010 | 10' |
| R621 2015 | 15' |
| R621 2020 | 20' |
| R621 2025 | 25' |
| R621 2030 | 30' |
| R621 2050 | 50' |
| R621 2075 | 75' |
| R621 2100 | 100' |

Colours: Blk-00

BNC ~ BNC RG6 Solder Radial



Flexible 75 ohm video cable made with RG6 and long barrel solder connectors. Ideal for mobile and rental systems where a robust and serviceable cable is required.

| Radial cable Order # | Length |
|----------------------|--------|
| R621 0003 | 3' |
| R621 0006 | 6' |
| R621 0010 | 10' |
| R621 0015 | 15' |
| R621 0020 | 20' |
| R621 0025 | 25' |
| R621 0030 | 30' |
| R621 0050 | 50' |
| R621 0075 | 75' |
| R621 0100 | 100' |

Colours: Blk-00

F ~ F RG59 Crimp Radial



75 ohm video 'F' cable for CATV features flexible RG59 cable with crimp connectors and PVC jacket.

| Radial cable Order # | Length |
|----------------------|--------|
| R628 3003 | 3' |
| R628 3006 | 6' |
| R628 3010 | 10' |
| R628 3015 | 15' |
| R628 3020 | 20' |
| R628 3025 | 25' |
| R628 3030 | 30' |
| R628 3050 | 50' |
| R628 3075 | 75' |
| R628 3100 | 100' |

Colours: Blk-00

F ~ F RG6 Crimp Radial



75 ohm video 'F' cable for CATV features flexible RG6 cable with crimp connectors for long runs.

| Radial cable Order # | Length |
|----------------------|--------|
| R627 3003 | 3' |
| R627 3006 | 6' |
| R627 3010 | 10' |
| R627 3015 | 15' |
| R627 3020 | 20' |
| R627 3025 | 25' |
| R627 3030 | 30' |
| R627 3050 | 50' |
| R627 3075 | 75' |
| R627 3100 | 100' |

Colours: Blk-00



Video Cables

Direct Box/Interface

Audio Cables

Connectors

Video Cables & Connectors

Bulk Cable

Cable Management

Custom Shop

RGB BNC

RGB - 5 BNC Crimp Connector - Radial & Mogami



Flexible 5 conductor 75 ohm RGB cable features compact construction with crimp-on BNC connectors. Ideal for all standard video system interconnect. Choice of Radial or Mogami cables.

| Radial cable Order # | Mogami cable Order # | Length |
|----------------------|----------------------|--------|
| R630 2003 | R641 2003 | 3' |
| R630 2006 | R641 2006 | 6' |
| R630 2010 | R641 2010 | 10' |
| R630 2015 | R641 2015 | 15' |
| R630 2020 | R641 2020 | 20' |
| R630 2025 | R641 2025 | 25' |
| R630 2030 | R641 2030 | 30' |
| R630 2050 | R641 2050 | 50' |
| R630 2075 | R641 2075 | 75' |
| R630 2100 | R641 2100 | 100' |

Colours: Blk-00

RGB - 5 BNC Solder Connector - Radial & Mogami



Flexible 5 conductor 75 ohm RGB cable features compact construction with solder-on BNC connectors. Ideal for mobile and rental systems where durability and serviceability are important. Choice of Radial or Mogami cable.

| Radial cable Order # | Mogami cable Order # | Length |
|----------------------|----------------------|--------|
| R630 0003 | R641 0003 | 3' |
| R630 0006 | R641 0006 | 6' |
| R630 0010 | R641 0010 | 10' |
| R630 0015 | R641 0015 | 15' |
| R630 0020 | R641 0020 | 20' |
| R630 0025 | R641 0025 | 25' |
| R630 0030 | R641 0030 | 30' |
| R630 0050 | R641 0050 | 50' |
| R630 0075 | R641 0075 | 75' |
| R630 0100 | R641 0100 | 100' |

Colours: Blk-00

RGB - 5 BNC Crimp Connectors - Mogami



High performance 5 conductor 75 ohm

RGB cable ideal for long runs. Super-flexible construction with gas injected insulator and oxygen-free copper for low loss. With compact BNC connectors.

| Mogami cable Order # | Length |
|----------------------|--------|
| R640 2003 | 3' |
| R640 2006 | 6' |
| R640 2010 | 10' |
| R640 2015 | 15' |
| R640 2020 | 20' |
| R640 2025 | 25' |
| R640 2030 | 30' |
| R640 2050 | 50' |
| R640 2075 | 75' |
| R640 2100 | 100' |

Colours: Blk-00

RGB - 5 BNC Solder Connectors - Mogami




5 conductor 75 ohm RGB cable, ideal for long runs. Super-flex construction, gas injected insulator and oxygen free copper for low loss. Solder connectors for mobile work.

| Mogami cable Order # | Length |
|----------------------|--------|
| R640 0003 | 3' |
| R640 0006 | 6' |
| R640 0010 | 10' |
| R640 0015 | 15' |
| R640 0020 | 20' |
| R640 0025 | 25' |
| R640 0030 | 30' |
| R640 0050 | 50' |
| R640 0075 | 75' |
| R640 0100 | 100' |

Colours: Blk-00

BNC Push-Pull Mogami



Super-flexible 75 ohm video cable. Gas injected insulation and 100% oxygen free copper, for exceptional performance in a compact design. Push-pull BNC for quick connect without tools. Choice of colours.

| Mogami cable Order # | Length |
|----------------------|--------|
| R600 1003-xx | 3' |
| R600 1006-xx | 6' |
| R600 1010-xx | 10' |
| R600 1015-xx | 15' |
| R600 1020-xx | 20' |
| R600 1030-xx | 30' |
| R600 1050-xx | 50' |
| R600 1075-xx | 75' |

'xx' = colour suffix
Colours: Blk-00, Red-02, Yel-04, Grn-05, Blu-06

RGB - 5 BNC Push-Pull Mogami



5 conductor 75 ohm super-flexible cable. Gas injected insulator and oxygen free copper for low loss. Push-pull colour coded BNC for quick connection.

| Mogami cable Order # | Length |
|----------------------|--------|
| R640 1003 | 3' |
| R640 1006 | 6' |
| R640 1010 | 10' |
| R640 1015 | 15' |
| R640 1020 | 20' |
| R640 1030 | 30' |
| R640 1050 | 50' |
| R640 1075 | 75' |

Colours: Blk-00



RGB HD15

Direct Box/Interface

Audio Cables

Connectors

Video Cables & Connectors

Bulk Cable

Cable Management

Custom Shop

Molded / SVHS

RGB HD15 ~ 5 BNC w/Crimp Connector, Radial & Mogami




Flexible RGB projector cable features high-density 15 pin D-sub to crimp BNC. Ideal for permanent installations. Your choice of Radial or Mogami cable.

| Radial cable Order # | Mogami cable Order # | Length |
|----------------------|----------------------|--------|
| R631 2003 | R632 2003 | 3' |
| R631 2006 | R632 2006 | 6' |
| R631 2010 | R632 2010 | 10' |
| R631 2015 | R632 2015 | 15' |
| R631 2020 | R632 2020 | 20' |
| R631 2030 | R632 2030 | 30' |
| R631 2050 | R632 2050 | 50' |
| R631 2075 | R632 2075 | 75' |

Colours: Blk-00

RGB HD15 ~ 5 BNC w/Solder Connector, Radial & Mogami



Flexible RGB projector cable features high-density 15 pin D-sub to long barrel solder BNC. Ideal for rentals where serviceability is important. Your choice of Radial or Mogami cable.

| Radial cable Order # | Mogami cable Order # | Length |
|----------------------|----------------------|--------|
| R631 0003 | R632 0003 | 3' |
| R631 0006 | R632 0006 | 6' |
| R631 0010 | R632 0010 | 10' |
| R631 0015 | R632 0015 | 15' |
| R631 0020 | R632 0020 | 20' |
| R631 0030 | R632 0030 | 30' |
| R631 0050 | R632 0050 | 50' |
| R631 0075 | R632 0075 | 75' |

Colours: Blk-00

RGB HD15 ~ 5 BNC Molded Radial



Cost effective RGB projector / data cable. Molded construction, flexible PVC jacket. For computer and AV system interconnects.

| Radial cable Order # | Length |
|----------------------|--------|
| R634 0003 | 3' |
| R634 0006 | 6' |
| R634 0010 | 10' |
| R634 0015 | 15' |
| R634 0020 | 20' |
| R634 0030 | 30' |
| R634 0050 | 50' |
| R634 0075 | 75' |

Colours: Blk-00

RGB HD15 ~ 5 BNC Push-Pull Mogami



75 ohm Mogami w/metal D-sub connector and 5 push-pull coloured BNC connectors.

| Mogami cable Order # | Length |
|----------------------|--------|
| R632 1003 | 3' |
| R632 1006 | 6' |
| R632 1010 | 10' |
| R632 1015 | 15' |
| R632 1020 | 20' |
| R632 1030 | 30' |
| R632 1050 | 50' |
| R632 1075 | 75' |

Colours: Blk-00

BNC-M ~ BNC-M Molded



75 ohm video patch cable. Molded BNC connectors, rugged PVC jacket. Great cost-effective cable for all AV system interconnects.

| Radial cable Order # | Length |
|----------------------|--------|
| R624 0003 | 3' |
| R624 0006 | 6' |
| R624 0010 | 10' |
| R624 0015 | 15' |
| R624 0020 | 20' |
| R624 0030 | 30' |
| R624 0050 | 50' |

Colours: Blk-00

F ~ F Connector Molded



Cost effective "F" connector patch cable. Screw-on for secure contact. For all CATV applications where flexibility and price is important.

| Radial cable Order # | Length |
|----------------------|--------|
| R629 3003 | 3' |
| R629 3006 | 6' |
| R629 3010 | 10' |
| R629 3015 | 15' |
| R629 3020 | 20' |
| R629 3030 | 30' |
| R629 3050 | 50' |

Colours: Blk-00

SVHS Cables - Mogami Phase-Matched



Mogami ultra-flexible Super-VHS (Y/C) cable features phase matched siamese construction for noise free performance, for runs up to 100 feet.

| Mogami cable Order # | Length |
|----------------------|--------|
| W602 5139-03 | 3' |
| W602 5139-06 | 6' |
| W602 5139-12 | 12' |
| W602 5139-20 | 20' |
| W602 5139-30 | 30' |
| W602 5139-50 | 50' |
| W602 5139-75 | 75' |
| W602 5139-10 | 100' |